

In the Claims

Please amend the claims to read as follows:

1. (Currently Amended) A wave energy dissipating system comprising a plurality of modules attached one to another, each module comprising:

a) a generally hollow cubical body having a front face for disposition in a direction facing incoming wave action, opposite sides, a top and a bottom;

b) a flange at each corner of the body, the flanges arranged in opposed pairs having axially aligned apertures arranged to receive a connector extending through the apertures for connecting adjacent modules one to another;

c) the front face having a wave deflecting recessed portion disposed along a longitudinal edge of the body between a pair of the opposed flanges, the recessed portion arranged to deflect and turn an incoming wave ~~towards the vertical~~; and

~~d) a frustum of a rectangular pyramid standing out from the plane of each of the opposite sides of the cubical body, the frustum having its base centrally located in the plane of the side of the cubical body and a front side defining a slanted surface facing in the direction of an incoming wave.~~

2. (Currently Amended) The wave energy dissipating system as in Claim 4 10 wherein the frustum faces in the direction of a like frustum of a rectangular pyramid extending out from a side of an adjacent module and the facing frustums together both obstruct the passage of water centrally through between the adjacent modules and permit passage of water between the modules.

3. (Currently Amended) The wave energy dissipating system as in Claim 1 ~~wherein the~~ further comprising a connector to connect the modules wherein the connector is a non-stretch connector thereby preventing significant longitudinal movement between adjacent modules.

4. (Original) The wave energy dissipating system as in Claim 3 wherein the connector allows limited transverse flexibility for limited vertical movement of adjacent modules one relative to another.

5. (Currently Amended) The wave energy dissipating system as in Claim 1 wherein the connector ~~means~~ extends longitudinally through the recessed portion.

6. (Original) The wave energy dissipating system as in Claim 1 further comprising a frustum of a rectangular pyramid standing out from the plane of each of the front face, opposite sides, top and bottom of the cubical body.

7. (Original) The wave energy dissipating system as in Claim 1 further comprising a brace attached across the top of adjacent modules.

8. (Currently Amended) The wave energy dissipating system as in Claim 7 ~~further comprising a floating structure~~ wherein the module is buoyant.

9. (Currently Amended) The wave energy dissipating system as in Claim 8 ~~further comprising a beach wall for creating a stable shoreline environment.~~ wherein the modules are connected both horizontally and vertically.

10. (Currently Amended) A wave energy dissipating system comprising a plurality of modules attached one to another, each module comprising:

a) a generally hollow cubical body having a front face for disposition in a direction facing incoming wave action, opposite sides, a top and a bottom;

b) a flange at each corner of the body, the flanges arranged in opposed spaced apart parallel co-axial pairs ~~having axially aligned apertures arranged~~ to receive a connector ~~extending through the apertures for~~ connecting adjacent modules one to another; and

c) the front face having a wave deflecting recessed portion disposed along a longitudinal edge of the body between a pair of the opposed flanges, the recessed portion arranged to deflect and turn an incoming wave towards the vertical.

11. (Original) The wave energy dissipating system as in Claim 10 further comprising a frustum of a rectangular pyramid standing out from the plane of each of the opposite sides of the cubical body, the frustum having its base centrally located in the plane of the side of the cubical body and a front side defining a slanted surface facing in the direction of an incoming wave.

12. (Currently Amended) A wave energy dissipating system as in Claim 10 ~~11~~ wherein the frustum faces in the direction of a like frustum of a rectangular pyramid extending out from a side of an adjacent module and the facing frustums together obstruct the free passage of water between the adjacent modules.

13. (Currently Amended) A wave energy dissipating system as in Claim 10 ~~wherein the~~ further comprising a connector to connect the modules wherein the connector is a non-stretch connector thereby preventing significant longitudinal movement between adjacent modules.

14. (Original) A wave energy dissipating system as in Claim 13 wherein the connector allows limited transverse flexibility for limited vertical movement of adjacent modules one relative to another.

15. (Currently Amended) A wave energy dissipating system as in Claim 10 wherein the connector ~~means~~ extends longitudinally through the recessed portion.

16. (Original) A wave energy dissipating system as in Claim 10 further comprising a frustum of a rectangular pyramid standing out from the plane of each of the front face, opposite sides, top and bottom of the cubical body.

17. (Original) A wave energy dissipating system as in Claim 10 further comprising a brace attached across the top of adjacent modules.

18. (Currently Amended) The wave energy dissipating system as in Claim 17 ~~further comprising a floating structure~~ wherein the module is buoyant.

19. (Currently Amended) The wave energy dissipating system as in Claim 18 ~~further comprising a beach wall for creating a stable shoreline environment~~ wherein the modules are connected both horizontally and vertically.

20. (Withdrawn) A module for a wave energy dissipation system that disrupts the laminar flow of water through the system comprising a generally cubical hollow body with

opposed pairs of flanges located at the corners and a recess portion having an inclined surface with a plurality of longitudinal projections.

21. (New) A wave energy dissipating system comprising a plurality of modules attached one to another, each module comprising:

a) a generally cubical body having a front face for disposition in a direction facing incoming wave action, opposite sides, a top and a bottom;

b) a pair of longitudinally spaced apart parallel flanges having axially aligned apertures;

c) a connector extending through the apertures for connecting adjacent modules one to another;

d) a wave deflecting recessed portion disposed along a longitudinal edge of the body between the spaced apart parallel flanges, the recessed portion arranged to turn an incoming wave.